







TECHNICAL DATA

END SUCTION CENTRIFUGAL PUMP MR model (Stainless steel SS304)









Technical data

Model : MR/ 50HZ









Technical data

Model : MR/ 50HZ









Technical data

Model : MR/ 50HZ



Technical data

Model : MR/ 50HZ



Technical data

Electric motor : MR/ 50HZ

NO.	Model	n (r/min)	voltage (V)	
			1×220V	3×380V
			P (kW)	P (kW)
1	50-32-160/1.1	2900	1.1	1.1
2	50-32-160/1.5		1.5	1.5
3	50-32-160/2.2		2.2	2.2
4	50-32-200/3.0			3
5	50-32-200/4.0			4
6	50-32-200/5.5			5.5
7	65-40-125/1.5		1.5	1.5
8	65-40-125/2.2		2.2	2.2
9	65-40-125/3.0			3
10	65-40-160/4.0			4
11	65-40-200/5.5			5.5
12	65-40-200/7.5			7.5
13	65-40-200/11.0	2950		11
14	65-50-125/3.0	2900		3
15	65-50-125/4.0			4
16	65-50-160/5.5			5.5
17	65-50-200/7.5			7.5
18	65-50-200/9.2			9.2
19	65-50-200/11.0	2950		11
20	65-50-200/15.0			15
21	65-50-200/18.5			18.5
22	80-65-125/5.5	2900		5.5
23	80-65-125/7.5			7.5
24	80-65-125/9.2			9.2
25	80-65-160/11.0	2950		11
26	80-65-160/15.0			15
27	80-65-200/18.5			18.5
28	80-65-200/22.0			22
29	80-65-200/30.0			30
30	100-80-160/11.0			11
31	100-80-160/15.0			15
32	100-80-160/18.5			18.5
33	100-80-200/22.0			22
34	100-80-200/30.0			30
35	100-80-200/37.0			37

